

# CERTIFICATE OF ACCREDITATION

## The ANSI National Accreditation Board

Hereby attests that

# Verichek Technical Services 3000 Industrial Blvd. Bethel Park, PA 15102

Fulfills the requirements of

**ISO/IEC 17025:2017** 

In the fields of

## **CALIBRATION** and **TESTING**

This certificate is valid only when accompanied by a current scope of accreditation document. The current scope of accreditation can be verified at <a href="www.anab.org">www.anab.org</a>.

RDS

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 15 July 2021 Certificate Number: L1190-1





## SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

## **Verichek Technical Services**

3000 Industrial Blvd. Bethel Park, PA 15102 Evan T. Sivetz 412-854-1800

## CALIBRATION AND TESTING

Valid to: July 15, 2021 Certificate Number: L1190-1

#### **CALIBRATION**

#### **Chemical Quantities**

Parameter/Equipment	Range	Expanded Uncertainty of Measurement (+/-)	Reference Standard, Method, and/or Equipment
Optical Emission Spectroscopy	Matrix Dependent	See Note 2	ASTM E305

## **TESTING**

#### Chemical

Specific Tests and/or Properties Measured <sup>1</sup>	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Positive Metal Identification	ASTM E415 ASTM E1476 ASTM E1916	Metals	Elemental Analysis (OES and x-Ray)
Positive Metal Identification	ASTM E1476 ASTM E1916	Metals	Sorting-Qualitative (OES and x-Ray)
Spark Testing	ASTM E1476 ASTM E1916	Metals	Sorting-Qualitative

#### Mechanical

Specific Tests and/or Properties Measured <sup>1</sup>	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Hardness Testing	(20 to 2 000) HV	ASTM A1038	Metals Hardness by Ultrasonic Contact Impedance

Version 004 Issued: August 19, 2020 www.anab.org





#### Mechanical

Specific Tests and/or Properties Measured <sup>1</sup>	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
	(20 to 999) HL	ASTM A956	Leeb Hardness of Metals
Coating Thickness	ASTM B568	Zinc on Steel	XRF
Retained Austenite Analysis	ASTM E975	Steel	XRD

Calibration and Measurement Capability (CMC) is expressed in terms of the measurement parameter, measurement range, expanded uncertainty of measurement and reference standard, method, and/or equipment. The expanded uncertainty of measurement is expressed as the standard uncertainty of the measurement multiplied by a coverage factor of 2 (*k*=2), corresponding to a confidence level of approximately 95%.

#### Notes:

- 1. On-site calibration service is available for this parameter, since on-site conditions are typically more variable than those in the laboratory, larger measurement uncertainties are expected on-site than what is reported on the accredited scope
- 2. The uncertainty of measurement varies depending upon the element (matrix) involved. Uncertainty estimates are available upon request.
- 3. This scope is formatted as part of a single document including Certificate of Accreditation No. L1190-1.



R. Douglas Leonard Jr., VP, PILR SBU

Version 004 Issued: August 19, 2020



